

The background of the entire image is a dark blue gradient. In the upper half, there are dark blue silhouettes of several people walking from left to right. They are dressed in professional attire, including suits, dresses, and coats. The floor they are walking on is a light blue and white checkered tile pattern. A white rectangular box with a thin border is positioned in the middle of the image, containing the brand name and tagline.

CleanSweep™

The clean start to a more welcoming interior

Milliken Contract



How to get from first impression to long-lasting performance



Better first impressions start with the Milliken CleanSweep™ entry system. With CleanSweep on the floor, tracked-in dirt gets trapped at the entry before it can become an eyesore or safety hazard. And dirt stays contained so you enjoy a cleaner interior that costs less to maintain.

CleanSweep takes a life cycle approach that respects the environment. The dirt-trapping power of CleanSweep protects the carpet beyond your entrance, extending its life and helping maintain its appearance.

CleanSweep itself is PVC-free and manufactured to be renewed, reused or recycled. It can also contribute to LEED and other green building certifications.



The tile format of CleanSweep simplifies installation and handling.

Forget buckling, wrinkling, pattern match and other problems that can come with broadloom products. CleanSweep ships as 50cm tiles. It's easy to handle, a snap to install, and you can place it exactly—and only—where you want it. Plus, individual tiles can be replaced on the fly.

CleanSweep lends rugged good looks to any interior.

You can trust CleanSweep to make a good impression. Choose between two patterns, in any of eleven colors to blend easily with your interior while protecting it against dirt. Your spotless image starts with Milliken CleanSweep.

P/4043 CLEANSWEEP™

CONSTRUCTION
TUFTED, CUT PILE

TILE SIZE
50CM X 50CM (19.7 X 19.7IN)

FACE FIBER
100% MILLIKEN CERTIFIED WEARON® NYLON

ANTIMICROBIAL
ALPHASAN®

DYE METHOD
MILLITRON®

STANDARD BACKING
PVC-FREE EVERWHERE® PLUS ES HARDBACK

FINISHED FACE WEIGHT
26 OZ/SQ.YD. (881.6 G/SQ.M.)

FINISHED PILE HEIGHT
0.22 IN. (5.6MM) AVG.

RECYCLED CONTENT BY TOTAL PRODUCT WEIGHT
20% PRE-CONSUMER, 6% POST-CONSUMER

FLAMMABILITY
CLASS 1

APPEARANCE RETENTION RATING (CRI TM101)
HEAVY USE

RECOMMENDED MAINTENANCE
MILLICARE® TEXTILE AND CARPET CARE SERVICE NETWORK

INDOOR AIR QUALITY – CRI GREEN LABEL™ PLUS
GLP0793, CARPET CATEGORY 5Y

RECOMMENDED INSTALLATION METHOD
QUARTER-TURN ONLY

